PERFORMANCE SHEET VINYL

AXIS

Versatile & Natural Design

YOGA X VINYL COURTS

A closed cell foam backing designed specifically for gym floors.



Absorbs shock, impact and offers optimum traction and slip resistance for the prevention of fatigue and injuries

Polyurethane coating seals out dirt and eliminates the need for polishes or finishes, reducing cost.

Meets NCAA and EN standards for ball bounce-back percentage and has softer acoustics for a quieter gym.

CONSTRUCTION

- Polyurethane coating
- Performance Sheet Vinyl
- Closed cell foam backing

SPECIFICATIONS

Overall Thickness	6.5mm
Colors	16
Width	5.91 ft
Length	49.20 ft
Warranty	10 Years

APPLICATIONS

- Group Exercise Rooms
- Indoor Courts
- Multi-Purpose Rooms
- Heated Yoga Rooms

508-816-2604 sales@spsurfacing.com


COLORS


Golden Cherry


Indian Cherry



Noble Zelkova


Antique Oak



Grand Maple



Tiger Oak


Windsor Oak


Red



Dark Blue



Blue



Sky Blue


Orange


Beige


Gray


Yellow


Dark Green



PERFORMANCE CRITERIA

PERFORMANCE CRITERIA	TEST STANDARD	TYPICAL RESULTS
Coefficient of Friction	ASTM D2047	>0.6
Static Load	ASTM F970	Pass
Flexibility	ASTM F137	Pass
Resistance to Heat	ASTM F1514	Pass
Resistance to Light	ASTM F1514	Pass
Resistance to Chemicals	ASTM F925	Pass
Radiant Panel	ASTM E648	Pass, Class I

SPORT PRO SURFACING

CONTACT US

508-816-2604 sales@spsurfacing.com